

Cladding

Product Brochure

15 Year Warranty

Knotwood products are supported by an up to 15 year performance warranty on the powder coating.

Made in Australia

Our aluminium is sourced from North Queensland and extruded & finished on the Gold Coast.






A selection of board styles that interlock together. Trims and finishing pieces provide a clean, minimal finish.

Clip in profiles can be added to our dimensional board for a striking textured effect.

Traditional Boards
Dimensional Board
Clip Ins
Clips & Starters
Corner, Joiner & End Trims
Window Flashing


Specifications



Benefits

All of our modular profiles give you incredible customisation with:

- _Board shapes and sizes.
- _Spacing preference.
- _Board angle options.
- _Clip in shapes for dimensional cladding.
- _A range of finishes.



NON WARPING

Knotwood's aluminium is not only lighter, but stronger and straighter than real wood and will not warp over time.



COLOUR STABILITY

All of our colours have been rigorously tested to withstand the most extreme environments.



WEATHER RESISTANT

Knotwood won't swell, grow mould or rust when exposed to wet conditions. Unlike wood, it is protected from corrosion.



NON COMBUSTIBLE

Knotwood is a non combustible product and manufactured to meet relevant international fire standards.



ECO FRIENDLY

Knotwood uses VOC free coatings, lead free finishes and is 100% recyclable at the end of its life span.



SCRATCH RESISTANT

A topcoat of exterior grade paint is baked on to provide resistance to chipping, flaking, blistering and scratching.



INSECT PROOF


Knotwood is impervious to termites and ants, and doesn't require chemical treatments to be protected from pests.




LOW MAINTENANCE

Our specialised finishes have outstanding properties to ensure ease of maintenance and longevity of your surfaces.


Traditional Boards




KEC100LW



KEC150LW




KEC200LW



KECSHIP150


Dimensional Board




KECDIM200

Specifications


TOP VIEW



Clip Ins




Clip




KA0CC45


Starters



KEDSTR-SQ




KECDIMSTR




KECSTRBU


Corner Trims



KECIECF




KECIECLM




KECIECSM

SLOTTED




KECIEFSLT

Joiner Trims




KECJBF




KECJTM

SLOTTED



KECJTMSLT


End Trims



KECFBF



KECFTTSM




KECFTTLM

SLOTTED




KECFTTMSLT




KECFTTLMslt

Window Flashing



KECWF

SLOTTED




KECWFSLT


Specifications

Some profiles are available in a slotted version which can allow for better drainage.

ORIGINAL



SLOTTED



Consulting

Knotwood’s consultants offer expert advice on which products and components will best suit your project. Our recommendations factor in the competitive price market and the need to design for low maintenance without compromising on aesthetics.

BIM & CAD

Knotwood products can be requested in various file types. Drawings include product componentry to general detailing for a wide range of applications. Basic 2D DWG are also available.

Project Costings

Our range of services include budgeting options through to pricing for tenders. We are set up to measure from PDF drawings, which are returned with itemised estimates, enabling cross-reference of quantities.

Samples

We use overnight express and aim to deliver samples to your premises within 48 hours. Please contact your Knotwood sales representative for lead times on custom sample orders.

Terms & Conditions

Knotwood reserves the right to vary product specifications or delete products without prior notification, and takes no responsibility for printing errors. Dimensions are approximate. Information provided is representative of the products available at the time of printing and subject to change without notice.

Due to the manufacturing process up to 50mm (25mm of each end) of the extrusion may need to be trimmed back.

Our range of power coated products are supported by an up to 15 year performance warranty on the powder coating.

Contact your Knotwood representative for further details.



Battens **Cladding** Slats Decking

* Contact your Knotwood representative
for additional Product Brochures.

Australia

www.knotwood.com.au
sales@knotwood.com.au
1300 566 896

United Kingdom

www.knotwood.co.uk
sales@knotwood.co.uk
0800 131 3165